





CERTIFICATE OF APPROVAL

Product Conformity Certification

This is to certify that

Pacific Steel

at

21 Beach Road

Otahuhu Auckland New Zealand 2024

has satisfied the Authority that it complies with the rules of the ACRS Product Certification Scheme and the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the Standards listed below, and is entitled to use the ACRS mark in relation to the products listed on this certificate.

SCOPE OF CERTIFICATION

Reinforcing Bar Manufactured in straight lengths to AS/NZS 4671:2019

Products listed on this Manufactured Product certificate may be relied upon as having the benefit of ACRS Product Scheme certification after any subsequent processing only if cut, or bent, or welded by an ACRS certified processor. For Approval of processed reinforcing bar, refer to the bar processor's ACRS Fabricated Product certificate.

This certificate remains the property of the Authority and is issued subject to the Regulations of the Authority.

CERTIFICATE NUMBER	VERSION	FIRST APPROVAL	ISSUE DATE	EXPIRY DATE
40503	1	01 May 2004	01 January 2024	31 December 2024

SIGNED FOR ACRS

Andrew Wheeler,

Executive Director

AUSTRALASIAN CERTIFICATION AUTHORITY FOR REINFORCING AND STRUCTURAL STEELS LTD | ABN: 40 096 692 545 | PO BOX 1369, CROWS NEST NSW 1585, AUSTRALIA

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 007-01 40503









CERTIFICATE OF APPROVAL

Product Conformity Certification

Certificate No: 40503

Pacific Steel

at

21 Beach Road

Otahuhu Auckland New Zealand 2024



Products assessed by ACRS to the following Standards:

AS/NZS 4671 Grade R300E Microalloyed Plain Bar 10 to 20 mm

AS/NZS 4671 Grade D300E Microalloyed Deformed Bar 10 to 32 mm

AS/NZS 4671 Grade R500E Microalloyed Plain Bar 10 to 20 mm

AS/NZS 4671 Grade D500E Microalloyed Deformed Bar 10 to 50 mm* (* no bends > 90 degrees)

AS/NZS 4671 Grade 500E Microalloyed Threaded Bar 12 to 32 mm

AS/NZS 4671 Grade D500N Deformed Bar 12 to 36 mm

AS/NZS 4671 Grade D250N Deformed Bar 12 mm

Approved Company Information

Bar Markings





Tag



To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 007-01 40503



This document is uncontrolled when printed View original at www.steelcertification.com